



2019 Chevrolet Silverado MD 2WD Reg Cab

## Selected Model and Options

### MODEL

#### MODEL

2019 Chevrolet Silverado MD 2WD Reg Cab

### ADDITIONAL EQUIPMENT - ENTERTAINMENT

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.)	0.00 lbs	0.00 lbs
6-speaker audio system (Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

#### ADDITIONAL EQUIPMENT - MECHANICAL

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Additional fuel, 5 gallons	0.00 lbs	0.00 lbs
Battery, top post threaded, battery jump start stud (located on battery box) (Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.)	0.00 lbs	0.00 lbs
Axle to End of Frame, 75" (Requires wheelbase (ED5) 201", (EQB) 219" or (ER2) 189".)	0.00 lbs	0.00 lbs
Front stabilizer bar	0.00 lbs	0.00 lbs
DPF, diesel particulate filter, manual regeneration customer regeneration will not be allowed until the DPF load percentage has reached 100% full and a driver information center (DIC) message has been shown (Requires (K40) exhaust brake. Required with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Suspension air control valve, air release valve with switch in cab (Requires (G40) 12,000lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.)	0.00 lbs	0.00 lbs
Engine block heater	0.00 lbs	0.00 lbs
Exhaust brake (Included with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Exhaust system, rear exit (Not available with (FQT) 141" wheel base.)	0.00 lbs	0.00 lbs
Fuel tank, front, 25 gallon	0.00 lbs	0.00 lbs
Recovery hooks, front, frame-mounted, black (Not available with (T3A) front bumper with 4" extension.)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

**ADDITIONAL EQUIPMENT - INTERIOR**

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Mirror, inside rearview delete (Requires (UE0) OnStar delete.)	0.00 lbs	0.00 lbs
Upfitter switches provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel (Included with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Remote Keyless Entry	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

**ADDITIONAL EQUIPMENT - EXTERIOR**

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Windows, power with driver express up and down and express down on all other windows (Requires (DPN) outside heated power-adjustable vertical trailering mirrors.)	0.00 lbs	0.00 lbs
Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp (Requires (A31) power windows.)	0.00 lbs	0.00 lbs
Assist Steps, aluminum	0.00 lbs	0.00 lbs
Front fender extension, painted body color (Not available with (FNX) Black front fender extension.)	0.00 lbs	0.00 lbs
Air Dryer, heated (Requires (KUT) Air Compressor Accessory Drive.)	0.00 lbs	0.00 lbs
Tail lamp provisions, located inside of frame (Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0I) 75" axle to end of frame and wheelbase (ER2, ED5, EQB or FRP). Will be forced with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase less (JL1) trailer brake controller.)	0.00 lbs	0.00 lbs
Air Compressor Accessory Drive, includes 4-pack of solenoids (Required with all models equipped with Rear Air Suspension (G40/GP1/GP8). Available as free flow option on all models without Rear Air Suspension.)	0.00 lbs	0.00 lbs
Grille, chrome	0.00 lbs	0.00 lbs
Bumper, front chrome	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

License plate kit, front	0.00 lbs	0.00 lbs
--------------------------	----------	----------

#### ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear Vision Camera, display integrated into Radio	0.00 lbs	0.00 lbs

#### AXLE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear axle, 4.30 ratio	0.00 lbs	0.00 lbs

#### PREFERRED EQUIPMENT GROUP

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs

#### SPARE TIRE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Spare tire delete (STD)	0.00 lbs	0.00 lbs

#### SEAT TYPE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD)	0.00 lbs	0.00 lbs

#### AIR CONDITIONING

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Air conditioning, single-zone (STD)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

#### GVWR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GVWR, 22,940 lbs. (10,405 kg) (Silverado 6500HD Requires (FTL) 8k front axle/(FSN) front suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.)	0.00 lbs	0.00 lbs

#### WHEELBASE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Wheelbase, 219" (556.3 cm), 138" CA (Requires (FOI) 75" axle to end of frame.)	0.00 lbs	0.00 lbs

#### FRONT SUSPENSION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Front suspension, 8,000 lbs. (3,629 kg) multi-leaf, includes shock absorbers	0.00 lbs	0.00 lbs

#### FRONT AXLE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Front axle, 8,000 lbs., Dana/Spicer D800-N, "I"-beam, non-driving	0.00 lbs	0.00 lbs

#### REAR SUSPENSION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear suspension - Air, 15,500 lbs. (7,031 kg), 6.0" ride height with shock absorbers (Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.)	0.00 lbs	0.00 lbs

#### SEAT TRIM

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Dark Ash seats with Jet Black interior accents, Cloth seat trim	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

#### RADIO

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones. (Requires (UQ3) 6-speaker audio system. Not available with (TG5) Single slot CD/MP3 player.)	0.00 lbs	0.00 lbs

#### REAR AXLE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction	0.00 lbs	0.00 lbs

#### ENGINE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm. 2900 rpm governed speed (STD)	0.00 lbs	0.00 lbs

#### TRANSMISSION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700RDS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Rugged Duty Series, 26K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs greater than 19.5K (Requires (GZH) 21,500 lbs. GVWR or (C9U) 22,940 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg).)	0.00 lbs	0.00 lbs

#### POWER TAKE OFF

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Power Take Off, engine control provisions	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 2WD Reg Cab

#### WHEEL TYPE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted	0.00 lbs	0.00 lbs

#### REQUIRED OPTION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
26,000 lbs. GCWR (11,793 kg) (Requires 26k GCWR transmission (MWA, MWB, MIU, MIA, MH1, MG0, MIX, MF0).)	0.00 lbs	0.00 lbs

#### FRONT TIRES

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Tires, front 225/70R19.5G highway blackwall Continental (STD)	0.00 lbs	0.00 lbs

#### REAR TIRES

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Tires, rear 225/70R19.5G traction blackwall Continental	0.00 lbs	0.00 lbs

#### PAINT SCHEME

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Paint, solid	0.00 lbs	0.00 lbs
<b>Options Total</b>	<b>0.00 lbs</b>	<b>0.00 lbs</b>
As Specified Curb Weight	N/A	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.