



2019 Chevrolet Silverado MD 4WD Crew Cab

Selected Model and Options

MODEL

MODEL

2019 Chevrolet Silverado MD 4WD Crew Cab

ADDITIONAL EQUIPMENT - ENTERTAINMENT

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

ADDITIONAL EQUIPMENT - MECHANICAL

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Additional fuel, 5 gallons	0.00 lbs	0.00 lbs
Battery, top post threaded, battery jump start stud (located on battery box) (Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.)	0.00 lbs	0.00 lbs
Axle to End of Frame, 75" (Requires (FRP) 235" wheelbase.)	0.00 lbs	0.00 lbs
DPF, diesel particulate filter, manual regeneration customer regeneration will not be allowed until the DPF load percentage has reached 100% full and a driver information center (DIC) message has been shown (Requires (K40) exhaust brake. Required with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Shock Absorbers, rear	0.00 lbs	0.00 lbs
Engine block heater	0.00 lbs	0.00 lbs
Exhaust brake (Included with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Fuel tank, front, 25 gallon	0.00 lbs	0.00 lbs
Skid Plate, steel, frame-mounted, protects the transfer case from the ground	0.00 lbs	0.00 lbs
Recovery hooks, front, frame-mounted, black (Not available with (T3A) front bumper with 4" extension.)	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - INTERIOR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Mirror, inside rearview delete (Requires (UE0) OnStar delete.)	0.00 lbs	0.00 lbs
Upfitter switches provides up to 4-30 amp circuits to facilitate installation of aftermarket electrical accessories located on the instrument panel (Included with (YF2) Emergency Service Package.)	0.00 lbs	0.00 lbs
Remote Keyless Entry	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

ADDITIONAL EQUIPMENT - EXTERIOR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp	0.00 lbs	0.00 lbs
Assist Steps, aluminum	0.00 lbs	0.00 lbs
Front fender extension, painted body color (Not available with (FNX) Black front fender extension.)	0.00 lbs	0.00 lbs
Tail lamp provisions, located inside of frame (Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be forced with the following frame extension, rear suspension and wheelbase combination less (JL1) trailer brake controller: (F0I) 75" axle to end of frame and wheelbase (ER2, ED5, EQB or FRP). Will be forced with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase less (JL1) trailer brake controller.)	0.00 lbs	0.00 lbs
Grille, chrome	0.00 lbs	0.00 lbs
Bumper, front chrome	0.00 lbs	0.00 lbs
License plate kit, front	0.00 lbs	0.00 lbs

ADDITIONAL EQUIPMENT - SAFETY-INTERIOR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear Vision Camera, display integrated into Radio	0.00 lbs	0.00 lbs

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear axle, 4.30 ratio	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

PREFERRED EQUIPMENT GROUP

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs

SPARE TIRE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Spare tire delete (STD)	0.00 lbs	0.00 lbs

SEAT TYPE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD)	0.00 lbs	0.00 lbs

AIR CONDITIONING

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Air conditioning, single-zone (STD)	0.00 lbs	0.00 lbs

WHEELBASE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Wheelbase, 235" (596.9 cm), 120" CA (Requires (F01) 75" axle to end of frame.)	0.00 lbs	0.00 lbs

FRONT AXLE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Front axle, 7,500 lbs., Dana Spicer 60-256, single-reduction, front driving	0.00 lbs	0.00 lbs

PAINT

FRONT WEIGHT	REAR WEIGHT
0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

REAR SUSPENSION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear suspension, 13,500 lbs. (6,123 kg) multi-leaf, vari-rate	0.00 lbs	0.00 lbs

GVWR

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GVWR, 19,500 lbs. (8845 kg) (Silverado 5500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (HD2) 13.5k rear axle and (GR4) 13.5k rear suspension.)	0.00 lbs	0.00 lbs

SEAT TRIM

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Dark Ash seats with Jet Black interior accents, Cloth seat trim	0.00 lbs	0.00 lbs

REAR AXLE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rear axle, 13,500 lb. (6,124 kg) S14 -110, single reduction	0.00 lbs	0.00 lbs

RADIO

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones. (Not available with (TG5) Single slot CD/MP3 player.)	0.00 lbs	0.00 lbs

ENGINE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm. 2900 rpm governed speed (STD)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

TRANSMISSION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Rugged Duty Series, 19.5K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K (Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs. GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lbs. GCWR (11,793 kg).)	0.00 lbs	0.00 lbs

POWER TAKE OFF

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Power Take Off, engine control provisions	0.00 lbs	0.00 lbs

WHEEL TYPE

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted	0.00 lbs	0.00 lbs

REQUIRED OPTION

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
26,000 lbs. GCWR (11,793 kg) (Requires 26k GCWR transmission (MWA, MWB, MIU, MIA, MH1, MG0, MIX, MF0).)	0.00 lbs	0.00 lbs

FRONT TIRES

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Tires, front 225/70R19.5G highway blackwall Continental (STD)	0.00 lbs	0.00 lbs

REAR TIRES

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Tires, rear 225/70R19.5G traction blackwall Continental	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



2019 Chevrolet Silverado MD 4WD Crew Cab

PAINT SCHEME

DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
Paint, solid	0.00 lbs	0.00 lbs
Options Total	0.00 lbs	0.00 lbs
As Specified Curb Weight	N/A	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.