



2019 Chevrolet Silverado MD 4WD Crew Cab

Weight Ratings

WEIGHT RATINGS

Front Gross Axle Weight Rating:	7500 lbs
Rear Gross Axle Weight Rating:	13500 lbs
Gross Vehicle Weight Rating:	19500.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.




2019 Chevrolet Silverado MD 4WD Crew Cab

Weight Distribution

SPECIFICATION SUMMARY

Truck/Tractor	
Wheelbase (WB)	175 in
Cab to Axle (CA)	60.08 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	7500 lbs
Rear GAWR	13500 lbs
GVWR	19500.00 lbs



CA: 60.08 in
 BOC: 0.0 in
 WB: 175 in

Fr%: N/A	Rr%: N/A
Front Wt: 5564.00 lbs	Rear Wt: 3243.00 lbs

GAWR/GVWR	GVW	Remaining Payload Wt
19500.00 lbs	9157.00 lbs	10,343.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Weight Distribution

SPECIFICATION DETAILS

	Front Axle	Rear Axle	Total
Actual			
Chassis	5564.00 lbs	3243.00 lbs	8807.00 lbs
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	5564.00 lbs	3243.00 lbs	9157.00 lbs
Capacity			
Axle	7500 lbs	13500 lbs	21000.00 lbs
Suspension	7500 lbs	13500 lbs	21,000.00 lbs
Tire	N/A	N/A	N/A
Total Axle Rating	7500.00 lbs	13500.00 lbs	21000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Standard Equipment

Mechanical

GVWR, 16,500 lbs. (7484 kg) (Silverado 4500HD Requires (FTB) 7.5k front axle/(FTV) suspension and (FN1) 10k rear axle or (GL4) 11k rear axle and (GR3) 11k rear suspension.) (STD)
Emissions, 50 state certification
Emissions, USA 50 State certified
Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lb-ft torque @ 1600 rpm. 2900 rpm governed speed (STD)
Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.60 6TH Highway Series, 19.5K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K (Requires (C5B) 15,000 lbs. GVWR, (C7P) 16,000 lbs. GVWR, (C7R) 16,500 lbs. GVWR, (GZX) 17,500 lbs. GVWR, (GZJ) 18,000 lbs. GVWR or (GZG) 19,500 lbs. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).) (STD)
Rear axle, 4.30 ratio Max road speed: 75 MPH
Wheelbase, 175" (444.5 cm), 60" CA (Requires (F0C) 49" axle to end of frame. Not available with (G40) 12,000lbs., (GP1) 13,500 lbs. or (GP8) 15,500 lbs. rear air suspension.) (STD)
Front axle, 7,500 lbs., Dana Spicer 60-256, single-reduction, front driving
Front suspension, 7,500 lbs. (3,402 kg) multi-leaf, includes shock absorbers
Rear axle, 11,000 lb. (4,999 kg) Dana Spicer S14-110, single reduction
Rear suspension, 11,000 (4,990 kg) multi-leaf, vari-rate (STD)
Transmission shift control calibration, fuel sense Performance
Axle, limited slip, Dana Spicer Truetrac, torque proportioning limited slip
Four wheel drive
Batteries, heavy-duty dual 1100 cold-cranking amps, includes battery box mounted to left side under cab
Alternator, 150 amps
Incomplete vehicle
Axle to End of Frame, 49" (Requires wheelbase (EM1) 199" or (FNV) 175". Not available with (G40), (GP1) or (GP8) rear air suspension.)
Axle lubricant, front, synthetic oil EmGard FE-75W-90
Axle lubricant, rear, synthetic oil EmGard FE -75W-90
Steering, power (Bosch S2 8014 Plus)
Brakes, hydraulic, heavy duty Bosch/Meritor/Wabco system with 4-channel (ABS) (Includes (J69) driveline park brake.)
Fuel tank, rear only, 40 gallon, mounted between frame side rails and behind rear axle
Fuel, diesel B20

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Mechanical

Capped Fuel Fill

Exhaust system, rear exit

Exterior

Wheels, 19.5" x 6.75", steel, Black painted, 8-holes, hub piloted (STD)

Tires, front 225/70R19.5G highway blackwall Hankook Max Axle Load: 7,940 lbs. (STD)

Tires, rear 225/70R19.5G highway blackwall Hankook Max Axle Load: 15,000 lbs. (STD)

Spare tire delete (STD)

Wheel, spare delete

Bumper, front, Black

Assist steps

Front fender extension, mold-in-color Black (Not available with (FNP) Body color front fender extension.)

Grille, base, molded in color, Black

Grille guard screen, insect protection (mounted behind grille)

Headlamps, halogen projector-beam

Lamps, cargo area, cab mounted with switch on center switch bank

Lamps, Smoked Amber roof marker

Lamps, rear, stop/turn/backup (1-piece assembly) with license plate light

Tail lamp provisions, located outside of frame (Will be required with (FOC) 49" axle to end of frame and wheelbase (FQT, ED9, ER2, ED5, FNV or EM1) and rear mechanical suspension (FU7, GR3 or GR4). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear air suspension (GP1, GP8 or G40). Will be required with (F0D) 63" axle to end of frame and wheelbase (ED9, ER2, ED5 or EM1) and rear mechanical suspension (FU7, GR3 or GR4) and (JL1) trailer brake controller. Will be required with (F0K) 91" axle to end of frame and (FPN) 231" wheelbase. Will be required with (F0I) 75" axle to end of frame and wheelbase (ED5, EQB, ER2 or FRP) and (JL1) trailer brake controller. Will be required with (F0G) 83" axle to end of frame, (FBC) 243" wheelbase and (JL1) trailer brake controller.)

Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass

Glass, solar absorbing, tinted

Windows, power with driver express up and down and express down on all other windows

Antenna, fixed mast

Door handles, Black

Entertainment

Audio system, 4.2" diagonal color display AM/FM stereo with USB port and auxiliary jack (Requires (AE7) front 40/20/40 split-bench seat. Not available with (UE1) OnStar or (U2K) SiriusXM Radio.) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Entertainment

SiriusXM, delete

6-speaker audio system

Interior

Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD)

Air conditioning, single-zone (STD)

Interior trim, Jet Black/Dark Ash (Required and only available with (H2Q/H2R) Dark Ash seats with Jet Black interior accents.)

Seat trim, Vinyl

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)

Seat Belt, Black

Floor covering, Graphite-colored rubberized-vinyl

Steering wheel, urethane

Steering column, manual Tilt-Wheel

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Speedometer, miles/kilometers

Driver Information Center, 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information

Door locks, power

Cruise control, steering wheel-mounted

Mirror, inside rearview manual day/night

Visors, driver and front passenger, vinyl

Assist handle, front passenger and driver on A-pillars

Safety-Mechanical

Brake, parking, driveline park brake system

Safety-Exterior

Daytime Running Lamps, with automatic exterior lamp control

Safety-Interior

Airbags, Single-stage frontal airbags for driver and front outboard passenger; Includes airbag deactivation switch for front outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Safety-Interior

Airbag deactivation switch, frontal passenger-side (Included and only available with (AK5) frontal, driver and right front passenger airbags.)

OnStar, delete

Horn, single-note

WARRANTY

Warranty Note: <<< Preliminary 2019 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years (Allison Basic): 5

Drivetrain Years: 5

Drivetrain Miles/km (Allison Basic): Unlimited

Drivetrain Miles/km: 100,000

Drivetrain Note: Duramax Diesel

Corrosion Years (Rust-Through): 6

Corrosion Miles/km (Rust-Through): 100,000

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

SUMMARY

2019 Chevrolet Silverado MD 4WD Crew Cab

Interior:Dark Ash seats with Jet Black interior accents, Cloth seat trim

Exterior 2:No color has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS

OPTIONS

MODEL

2019 Chevrolet Silverado MD 4WD Crew Cab

OPTIONS

Rear axle, 4.30 ratio

Preferred Equipment Group

Electrical Provisions, rear of cab, upfitter, body builder wiring

Additional fuel, 5 gallons

Spare tire delete

Upfitter switches

Seats, front 40/20/40 split-bench, 3-passenger

Remote Keyless Entry

Battery, top post threaded, battery jump start stud

Air conditioning, single-zone

Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black.

Assist Steps, aluminum

Front stabilizer bar

Front fender extension, painted body color

Wheelbase, 175" (444.5 cm), 60" CA

DPF, diesel particulate filter, manual regeneration

Front axle, 7,500 lbs., Dana Spicer 60-256, single-reduction, front driving

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.



2019 Chevrolet Silverado MD 4WD Crew Cab

Shock Absorbers, rear

Summit White

Rear suspension, 13,500 lbs. (6,123 kg) multi-leaf, vari-rate

GVWR, 19,500 lbs. (8845 kg)

Dark Ash seats with Jet Black interior accents, Cloth seat trim

Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction

Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment

Engine block heater

Exhaust brake

Air Compressor Accessory Drive, includes 4-pack of solenoids

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700RDS

Fuel tank, front, 25 gallon

Skid Plate, steel, frame-mounted, protects the transfer case from the ground

Power Take Off, engine control provisions

Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted

26,000 lbs. GCWR (11,793 kg)

Rear Vision Camera, display integrated into Radio

Grille, chrome

Grille guard screen, stone protection

Bumper, front chrome

Recovery hooks, front, frame-mounted, black

License plate kit, front

Tires, front 225/70R19.5G highway blackwall Continental

Tires, rear 225/70R19.5G traction blackwall Continental

Paint, solid

Bluetooth for phone, personal cell phone connectivity to vehicle audio system

www.lynchtruckcenter.com

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Updated: Feb 14, 2019 9:34:00 PM PST.
