LYNCH TRUCK CENTER

RAM

VEHICLE OVERVIEW 2019 RAM 5500 Chassis

4x4 Regular Cab 204.5" WB Tradesman/SLT

Powertrain

Cummins 6.7L I-6 OHV diesel direct injection 24 valve intercooled turbo diesel engine * 180 amp alternator * 1,460 amp (total) battery dual lead acid batteries with run down protection * Engine block heater, engine oil cooler, transmission oil cooler * 6-speed electronic sequential shift control automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with electronic transfer case shift, auto locking hubs * Limited slip differential, ABS & driveline traction control, power take-off provision * 4.44 axle ratio * Stainless steel exhaust

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Electronic stability * Non-independent front suspension * Front leading link suspension * Front anti-roll bar * Front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * HD rear anti-roll bar * HD rear leaf springs * HD rear shocks * Front and rear 19.5" x 6.00" polished forged aluminum wheels with chrome hub covers * 225/70R19.5 BSW AS front tires * AT rear tires

Safety

4-wheel anti-lock braking system * Daytime running lights * Dual airbags, seat mounted driver and passenger side-impact airbags, airbag occupancy sensor * Front height adjustable seatbelts with front pre-tensioners * Sentry Key immobilizer

Comfort and Convenience

Air conditioning * SiriusXM AM/FM/Satellite, clock, seek-scan, external memory control, underseat mounted single remote CD, 6 speakers, voice activation, Bluetooth streaming audio, integrated roof antenna, radio steering wheel controls * 1 1st row LCD monitor * Cruise control with steering wheel controls * Power door locks * 2 12V DC power outlets, retained accessory power, garage door transmitter, power adjustable pedals, Uconnect w/Bluetooth wireless phone connectivity, 1 AC power outlet * Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, voltmeter gauge, oil temperature gauge, transmission fluid temp gauge, engine hour meter, compass, exterior temp, systems monitor, redundant digital speedometer, trip computer, trip odometer * Warning indicators include oil pressure, engine temperature, battery, low oil level, low coolant, lights on, key, low fuel, low washer fluid, lighting malfunction, door ajar, service interval, brake fluid, turn signal on, tire specific low tire pressure, transmission fluid temp * Leather-wrapped steering wheel with tilt adjustment * Power front windows with light tint, driver and passenger 1-touch down * Variable intermittent front windshield wipers * Dual illuminated vanity mirrors * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights * Locking glove box with light, front cupholder, instrument panel covered bin, dashboard storage, driver and passenger door bins, 1st row underseat storage * Upfitter switches

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.

LYNCH TRUCK CENTER

VEHICLE OVERVIEW Continued

Comfort and Convenience (Continued)

Seating and Interior

Seating capacity of 3 * 40-20-40 split-bench front seat with adjustable head restraints with tilt, center armrest with storage * 4-way adjustable driver seat * 4-way adjustable passenger seat * Cloth faced front seats with cloth back material * Vinyl door trim insert, full cloth headliner, full vinyl/rubber floor covering with carpet front floor mats, deluxe sound insulation, metal-look instrument panel insert, urethane gear shift knob, metal-look door panel insert, chrome/metal-look interior accents

Exterior Features

1 skid plate, side impact beams, front license plate bracket, galvanized steel/aluminum body material, side steps * Black fender flares * Black side window moldings, black front windshield molding * Chrome door handles * Black w/chrome surround grille * 2 doors * Trailer harness, trailer sway control * Driver and passenger power remote black heated convex spotter folding manual extendable trailer outside mirrors with turn signal indicators, clearance lights * Front black bumper with front tow hooks * Aero-composite halogen fully automatic headlamps with multiple headlamps, delay-off feature * Additional exterior lights include front fog lights, cab clearance lights, underhood light, remote activated perimeter/approach lights * Clearcoat monotone paint

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/100,000 miles
Corrosion Perforation	60 month/100,000 miles	Roadside Assistance	60 month/100,000 miles
Diesel Engine	60 month/100,000 miles		

Dimensions and Capacities

Output	360 hp @ 2,800 rpm	Torque	800 lb.-ft. @ 1,800 rpm
1st gear ratio	3.750	2nd gear ratio	2.000
3rd gear ratio	1.340	4th gear ratio	1.000
5th gear ratio	0.770	6th gear ratio	0.630
Reverse gear ratio	3.540	Curb weight	8,112 lbs.
GVWR	19,500 lbs.	Front GAWR	7,000 lbs.
Rear GAWR	13,500 lbs.	Payload	11,100 lbs.
Front curb weight	5,175 lbs.	Rear curb weight	2,937 lbs.
Front axle capacity	7,000 lbs.	Rear axle capacity	13,500 lbs.
Front tire/wheel capacity	7,940 lbs.	Rear tire/wheel capacity	15,000 lbs.
Towing capacity	23,450 lbs.	Front legroom	40.9 "
Front headroom	39.8 "	Front hiproom	62.9 "
Front shoulder room	65.9 "	Passenger area volume	62.5 cu.ft.
Length	294.3 "	Body height	80.1 "
Wheelbase	204.5 "	Cab to axle	120.2 "
Front track	77.1 "	Rear track	73.6 "
Fuel tank	22.0 gal.		

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.

LYNCH TRUCK CENTER

RAM

SELECTED EQUIPMENT 2019 RAM 5500 Chassis

4x4 Regular Cab 204.5" WB Tradesman/SLT

Base Vehicle	STD

Packages

Quick Order Package 2YG SLT *6 Speakers; Black Wheel Flares; Body Color/Chrome Door Handles; (V9) Cloth 40/20/40 Bench Seat w/2_G; Door Sill Scuff Pads; Exterior Mirrors w/Supplemental Signals; Exterior Mirrors Courtesy Lamps; Exterior Mirrors w/Heating Element; (CKE) Floor Covering Carpet; Glove Box; Gloss Black Billites w/Chrome Grille; Chrome Grille Surround; Map/Courtesy Lamp; Mirror Running Lights; Overhead Cupholder Lamp; Passenger Sun Visor w/Illuminated Mirror; Power Black Trailer Tow Mirrors; Power Locks; Premium Vinyl Door Trim w/Map Pocket; Front 1-Touch Down Power Windows; Rear Dome Lamp; SLT Badge; Speed Sensitive Power Locks; (XBT) Tire Pressure Information System; Traveler/Mini Trip Computer; (UAA) Radio: Uconnect 3 w/5" Display; Vinyl Shift Knob*	OPT

Powertrain

Engine: 6.7L I6 Cummins Turbo Diesel *87 mph Maximum Speed; B-20 Bio Diesel Capability; Clean Idle Emissions Label; Cummins Turbo Diesel Badge; Current Generation Engine Controller; Dual 730 Amp Maintenance Free Batteries; Electronically Controlled Throttle; (Z0C) GVWR: 19,500 lbs; RAM Active Air; Selective Catalytic Reduction (Urea); Smart Diesel Exhaust Brake; Supplemental Heater*	OPT
Transmission: 6-Speed Auto Aisin AS69RC HD *Column Mount Automatic Shift Lever*	OPT
4.44 Axle Ratio	STD
GVWR: 19,500 lbs	INC

Wheels & Tires

Tires: 225/70R19.5G FT All Position, RR Traction	STD
Wheels: 19.5" x 6.0" Forged Aluminum Polished	OPT

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.

LYNCH TRUCK CENTER

SELECTED EQUIPMENT Continued

Center Hub

Seats & Seat Trim

Cloth 40/20/40 Bench Seat w/2_G *40/20/40 Split Bench Seat; 4 Way Front Headrests; Center Stack Storage Drawer; Manual Adjust 4-Way Driver Seat; Front Armrest w/Cupholders; Manual Adjust 4-Way Front Passenger Seat*	INC

Other Options

Monotone Paint Application	STD
115V Auxiliary Power Outlet *400W Inverter*	INC
22 Gallon Midship Fuel Tank	OPT
Add Black Vinyl Floor Covering	OPT
Chrome Tubular Side Steps	OPT
Cold Weather Group *Engine Block Heater; Winter Front Grille Cover*	OPT
Electric Shift-On-The-Fly Transfer Case *Center Stack Storage Drawer*	OPT
Engine Block Heater	INC
Front Fog Lamps	OPT
Luxury Group *(JKV) 115V Auxiliary Power Outlet; Cluster 7.0" TFT Color Display; Courtesy Lamps; Dual Glove Boxes; Foam Bottle Insert (Door Trim Panel); Glove Box Lamp; Leather Wrapped Steering Wheel; Locking Lower Glove Box; Power Adjustable Pedals; Rear Dome w/On/Off Switch Lamp; Steering Wheel Mounted Audio Controls; Sun Visors w/Illuminated Vanity Mirrors; Underhood Lamp; Universal Garage Door Opener*	OPT
Manual DPF Regeneration	OPT
Power Take Off Prep *Hard Wired Remote Start; Split Shaft Capability Power Take Off*	OPT
Single Disc Remote CD Player *Front Center Seat Cushion Storage*	OPT
SiriusXM Satellite Radio *1-Year SiriusXM Radio Service; For More Info, Call 800-643-2112*	INC
Tire Pressure Information System	INC
Transfer Case Skid Plate Shield	OPT
Radio: Uconnect 3 w/5" Display *5.0" Touchscreen Display; GPS Antenna Input; Integrated Voice Command*	INC

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.

LYNCH TRUCK CENTER

SELECTED EQUIPMENT Continued

w/Bluetooth; (RSD) SiriusXM Satellite Radio; Temperature & Compass Gauge

Interior Colors For : Primary w/Regular Cabs

Diesel Gray/Black	OPT

Primary Colors For : Primary w/Regular Cabs

	OPT

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.

LYNCH TRUCK CENTER

RAM

DIMENSIONS & CAPACITIES 2019 RAM 5500 Chassis

4x4 Regular Cab 204.5" WB Tradesman/SLT

Output	360 hp @ 2,800 rpm
Torque	800 lb.-ft. @ 1,800 rpm
1st gear ratio	3.750
2nd gear ratio	2.000
3rd gear ratio	1.340
4th gear ratio	1.000
5th gear ratio	0.770
6th gear ratio	0.630
Reverse gear ratio	3.540
Curb weight	8,112 lbs.
GVWR	19,500 lbs.
Front GAWR	7,000 lbs.
Rear GAWR	13,500 lbs.
Payload	11,100 lbs.
Front curb weight	5,175 lbs.
Rear curb weight	2,937 lbs.
Front axle capacity	7,000 lbs.
Rear axle capacity	13,500 lbs.
Front tire/wheel capacity	7,940 lbs.
Rear tire/wheel capacity	15,000 lbs.
Towing capacity	23,450 lbs.
Front legroom	40.9 "
Front headroom	39.8 "
Front hiproom	62.9 "
Front shoulder room	65.9 "
Passenger area volume	62.5 cu.ft.
Length	294.3 "
Body height	80.1 "
Wheelbase	204.5 "
Cab to axle	120.2 "
Front track	77.1 "
Rear track	73.6 "
Fuel tank	22.0 gal.

The information contained in this package is provided to assist in assessing our vehicles and is for your information only. Prices and content information shown are subject to change and should be treated as estimates only. Information on the comparison vehicle is derived from available public sources and may not be completely current or accurate. No representations, warranties or guarantees are given in the information. Neither Chrysler nor the dealer will be liable for any reliance on the contents hereof. Please see salesperson for the most current information and other details.